



tablet tonic:

Cebēfortis Tablets

TRADEMARK, REG. U. S. PAT. OFF.

...and hematonic:

Cebētinic Tablets

TRADEMARK, REG. U. S. PAT. OFF.

Each Cebēfortis Tablet contains:

Ascorbic Acid.....	150.0 mg.
Thiamine Hydrochloride.....	5.0 mg.
Riboflavin.....	5.0 mg.
Pyridoxine Hydrochloride....	1.0 mg.
Calcium Pantothenate.....	10.0 mg.
Nicotinamide.....	50.0 mg.
Folic Acid.....	0.75 mg.
Vitamin B ₁₂ Activity.....	2.0 mcg.


Bottles of 100 and 500 tablets

Each Cebētinic Tablet contains:

Ascorbic Acid.....	25.0 mg.
Thiamine Hydrochloride.....	2.0 mg.
Riboflavin.....	2.0 mg.
Pyridoxine Hydrochloride....	0.5 mg.
Nicotinamide.....	10.0 mg.
Ferrous Gluconate.....	5.0 grs.
Folic Acid.....	0.67 mg.
Vitamin B ₁₂ Activity.....	5.0 mcg.

Bottles of 60 and 500 tablets

The Upjohn Company, Kalamazoo, Mich.



new higher potency

DORMISON 500 mg.

for restful sleep

“...because of its
absence of after-effects.”

Malone, H. J.; Klimkiewicz, G. R., and Gribetz, H. J.: A Study of the Hypnotic
Effect of Dormison in Children, J. Pediat. 41:153, 1952.

“...may be regarded as probably
the hypnotic of choice.”

May, P. R.A., and Ebaugh, F. G.: Use of Hypnotics in Aging and Senile
Patients: A Clinical Study of Dormison, J.A.M.A. 152:801, 1953.

Schering

DORMISON,® brand of methylparafynol,
is available *only on prescription*.
Do not confuse it with any product
advertised to the laity.

ILIDAR[®]

new quadrergic vasodilating agent

for vasospastic disorders characterized by aching,
numbness, coldness and blanching of the extremities

ILIDAR is a completely new synthetic vasodilator with quadrergic action; its vasodilating effect is the result of four distinct pharmacologic actions: (1) Sympatholytic—Ilidar blocks the vasoconstrictor response to peripheral sympathetic nerve stimulation; (2) Adrenolytic—it blocks the vasoconstrictor effects of epinephrine and norepinephrine; (3) Epinephrine Reversal—Ilidar unmasks the latent dilator response to circulating epinephrine in skeletal muscle and skin, converting the constrictor response to vasodilation; (4) Direct Vasodilation.


INDICATED in vascular diseases in which vasospasm is an important component, e.g., Raynaud's Disease, thromboangiitis obliterans, arteriosclerosis obliterans, endarteritis, post-phlebotic syndrome, etc.

DOSAGE, ORAL, 25 mg t.i.d., gradually increased to tolerance (average, 200 mg daily).

ILIDAR (phosphate) Tablets, 25 mg. Bottles of 100 and 500.

ILIDAR[®]—brand of azapetine (6-allyl-6, 7-dihydro-5H-dibenz [c,e] azepine)

HOFFMANN-LA ROCHE INC • ROCHE PARK • NUTLEY 10 • NEW JERSEY



**Early diagnosis of peripheral vascular disease is
simple and accurate with the U. M. A. Thermocouple**

The U. M. A. Thermocouple... a compact, portable unit that enables you to make early diagnosis in minutes. It is an exact, direct-reading instrument for taking surface and intramuscular temperatures and determining the efficacy of vasodilating drugs.

SIMPLE TO USE—readings indicated on combined Fahrenheit and Centigrade scale — without calculations.

ACCURATE—engineered to rigid specifications... factory calibrated... scientifically accurate.

INEXPENSIVE

\$144 complete, delivered prepaid anywhere in the U.S. and Canada. Or rent it at \$6.00 per month — keep it for 24 months (\$144) and the instrument is yours.

No interest or service charges.

**U. M. A.
INC.**

56 Cooper Square
New York 3, N. Y.

Tel. ALgonquin 4-0924

U. M. A. • 56 Cooper Square, New York 3, N. Y.

Please ship prepaid one U.M.A. Thermocouple (\$144) ☐

One Thermocouple (on rental-purchase plan) ☐ Literature ☐

NAME.....

ADDRESS.....

CITY.....ZONE.....STATE.....

BASIC

to the practice of medicine



Tetra

BASIC

among broad-spectrum antibiotics

basic chemically

representing a nucleus of modern broad-spectrum activity

basic clinically

true broad-spectrum action against pneumococci, streptococci, staphylococci and other gram-positive and gram-negative pathogens

unexcelled tolerance

outstanding stability and solubility

quickly reaches and maintains high therapeutic levels

may often be used successfully in patients in whom resistance or sensitivity to other forms of antibiotic therapy has developed



AIH

(afebrile in hours)

*"Symptoms, including fever, largely
cleared up within 24 to 48 hours."**

cyn

HYDROCHLORIDE

brand of tetracycline hydrochloride


TETRACYN TABLETS *(sugar coated)*
250 mg., 100 mg., 50 mg.



*English, A. R., et al.:
Antibiotics Annual (1953-1954), New York,
Medical Encyclopedia, Inc., 1953, p. 70.

it takes more than spasmolysis
to relieve functional
G. I. distress

Decholin/Belladonna



prescribe these

double
benefits

reliable spasmolysis

inhibits smooth-muscle spasm...
suppresses incoordinate peristalsis...
facilitates biliary and pancreatic drainage

improved liver function

increases bile flow and fluidity
through *hydrocholeresis*...
enhances blood supply to liver...
provides mild, natural laxation —
without catharsis

DECHOLIN[®] with Belladonna

*for prompt, more effective relief of belching,
bloating, flatulence, nausea, indigestion and constipation*

Dosage: One or, if necessary, two *Decholin/Belladonna* Tablets three times daily.

Composition: Each tablet of *Decholin/Belladonna* contains *Decholin* (dehydrocholic acid, *Ames*) 3¾ gr., and ext. of belladonna, ⅓ gr. (equivalent to tincture of belladonna, 7 minims). Bottles of 100.

AMES
COMPANY, INC.




ELKHART, INDIANA
Ames Company of Canada, Ltd., Toronto

54184

What's so *different* about the Viso-Cardiette?

THESE ARE THE COMPANY POLICIES



THAT LEAD TO THESE ADVANTAGES

SANBORN SPECIALIZES. Sanborn's *primary* and *major* interest in the medical field for the past 35 years has been the design, manufacture, and servicing of electrocardiographs. Sanborn men can therefore *concentrate* on your interest in this type of equipment.

SANBORN SELLS DIRECTLY. Each of the many thousands of Sanborn diagnostic instruments in service today has been shipped *directly* to its user. No intermediate sources are ever involved between Sanborn Company and the buyer. This permits a standardization of prices, and the cost of a Viso-Cardiette is the *same* to *every* physician.

ECG DESIGN KNOWLEDGE. Sanborn's 30 years of specialization and intimate contact with the profession's heart testing needs results in a *complete* and *concentrated knowledge* of electrocardiograph manufacture.

EXTRA BENEFITS. These stem from the Sanborn "direct-to-you" policy, and include: the bi-monthly "Technical Bulletin", which is sent free of charge to every owner; the 15-day, no-obligation, try-before-you-buy plan; and the opportunity to deal *directly* with the maker of your electrocardiograph.

EXTENSIVE COVERAGE. The need to keep a *close contact* with Sanborn owners, and those about to be, requires a *wide* network of offices. Sanborn has thirty, one of them near you!

Because Sanborn **DEPENDS** on your satisfaction, **YOU** can depend on Sanborn people and Sanborn products. Descriptive literature which tells more about the Viso-Cardiette and the 15-day trial plan is available on request.

SANBORN COMPANY
BRANCH OFFICE

1860 BROADWAY
NEW YORK, N. Y., Circle 7-5794-5795

AERO-KROMAYER by **HANOVIA**

For accurate control in local ultraviolet application



Ultraviolet radiations in medicine and surgery have produced beneficial results in many conditions. Investigate the merits of this therapy.


THE HANOVIA AERO-KROMAYER LAMP


(air-cooled) is especially designed for local application, used in the treatment of

Amenorrhea	Corneal Infections
Pruritus	Otitis Media
Certain	Indolent Ulcers
Gynecological	Vincent's Angina
conditions	
Acne Vulgaris	Laryngeal
Erysipelas	Tuberculosis
Lupus Vulgaris	Infected wounds
Pityriasis Rosea	and sinuses

Five new authoritative treatises on ultraviolet mailed free on request. Write Dept. B-5-54

HANOVIA
CHEMICAL & MFG. CO.
Newark 5, N. J.





salt-free needn't mean flavor-free

DIASAL is enthusiastically endorsed by low-salt dieters for the zest and flavor it gives to pallid, sodium-restricted meals. So closely does it match the appearance, texture and taste of table salt that patient adherence to your diet instructions is virtually assured.

DIASAL contains only potassium chloride, glutamic acid and inert ingredients...no sodium, lithium, or ammonium. It may be used safely for extended periods, both at the table and in cooking. Because of its potassium, DIASAL may be a valuable prophylactic against potassium depletion.

DIASAL®

packaging: available in 2-ounce shakers and 8-ounce bottles.

Send for liberal supplies of tasting samples and low-sodium-diet sheets for your patients.



FOUGERA

E. FOUGERA & COMPANY, INC.

75 Varick Street, New York 13, N. Y.

controls hypertension

'Provell Maleate'

(Proteroveratrine A and B Maleates, Lilly)

**consistent, safe,
reduces work-load on heart**

**assayed chemically
and biologically**

SUPPLIED AS:

.....

Tablets No. 1778, 0.5 mg., cross-scored to facilitate accurate dosage.

DOSE:

.....

Adjusted to patient's need.


May we send literature?



ELI LILLY AND COMPANY, INDIANAPOLIS 6, INDIANA, U. S. A.



24 hours of relief




One or two 'Perazil' 50 mg.
usually provides freedom
from the discomfort of allergy
up to 24 hours.

Chlorcyclizine Hydrochloride
50 mg., compressed, scored.

A new, long-lasting, potent
with exceedingly low incidence
of side effects.



BURROUGHS WELLCOME & CO. (U.S.A.) INC., Tuckahoe 7, New York



Cross section of active duodenal ulcer.

Dramatic Remission of Ulcer Pain

*Pain of ulcer is associated with
hypermotility; the pain is relieved when abnormal
motility is controlled by Pro-Banthine.[®]*

“In studying¹ the mechanism of ulcer pain, it is obvious that there are at least two factors which must be considered: namely, hydrochloric acid and motility.

“... our studies indicate that ulcer pain in the uncomplicated case is invariably associated with abnormal motility. . . .

“Prompt relief of ulcer pain by ganglionic blocking agents . . . coincided exactly with cessation of abnormal motility and relaxation of the stomach.”

Pro-Banthine (β -diisopropylaminoethyl xanthene-9-carboxylate methobromide, brand of propantheline bromide) is a new, improved, well tolerated anticholinergic agent which consistently reduces hypermotility of the stomach and intestinal tract. In peptic ulcer therapy² Pro-Banthine has brought about dramatic remissions, based on roentgenologic evidence. Concurrently there is a reduction of pain or, in many instances, the pain

and discomfort disappear early in the program of therapy.

One of the typical cases cited by the authors² is that of a male patient who refused surgery despite the presence of a huge crater in the duodenal bulb.

“This ulcer crater was unusually large, yet on 30 mg. doses of Pro-Banthine [q.i.d.] his symptoms were relieved in 48 hours and a most dramatic diminution in the size of the crater was evident within 12 days.”


Pro-Banthine is proving equally effective in the relief of hypermotility of the large and small bowel, certain forms of pylorospasm, pancreatitis and ureteral and bladder spasm. G. D. Searle & Co., Research in the Service of Medicine.

1. Ruffin, J. M.; Baylin, G. J.; Legerton, C. W., Jr., and Texter, E. C., Jr.: Mechanism of Pain in Peptic Ulcer, *Gastroenterology* 23:252 (Feb.) 1953.

2. Schwartz, I. R.; Lehman, E.; Ostrove, R., and Seibel, J. M.: A Clinical Evaluation of a New Anticholinergic Drug, Pro-Banthine, *Gastroenterology* 25:416 (Nov.) 1953.

ACHROMYCIN^{*}

Hydrochloride Tetracycline HCl Lederle



ACHROMYCIN is a new and notable broad-spectrum antibiotic.

Several investigators have reported definitely fewer side reactions with ACHROMYCIN.

ACHROMYCIN maintains effective potency for a full 24 hours in solution. It provides more rapid diffusion in tissues and body fluids.

On the basis of clinical investigations to date, ACHROMYCIN is indicated in the treatment of beta hemolytic streptococcal infections, *E. coli* infections, meningococcal, staphylococcal, pneumococcal and gonococcal infections, acute bronchitis and bronchiolitis, and certain mixed infections.

CAPSULES { 250 mg.
 { 100 mg.
 { 50 mg.

INTRAVENOUS { 500 mg.
 { 250 mg.
 { 100 mg.

SPERSOIDS* { 50 mg.
 { per teaspoonful
 { (3.0 Gm.)
 { Dispersible
 { Powder


Other dosage forms will become available as rapidly as research permits.

^{*}Reg. U.S. Pat. Off.



MORE RAPID DIFFUSION


FEWER SIDE EFFECTS



LEDERLE LABORATORIES DIVISION

AMERICAN Cyanamid COMPANY

PEARL RIVER, NEW YORK



**stop the gnawing pain
of hyperacidity with TREVIDAL®**

Prescribe Trevidal to protect your patients from the damaging and irritating action of excess hydrochloric acid. Trevidal, neutralizes gastric hyperacidity immediately, effectively, and safely and also coats irritated stomach surfaces. Trevidal provides in each pleasant-to-take tablet calcium carbonate, magnesium carbonate, aluminum hydroxide, and magnesium trisilicate, balanced to avoid constipation, diarrhea, or alkalosis, plus Regonol,*† a unique vegetable gum which supplies demulcent action, and Egraine,† a protein binder which prolongs the antacid activity. Trevidal is available in boxes of 100 tablets.

*Cyamopsis tetragonoloba gum

†Trade Marks

Organon INC. • ORANGE, N. J.



The **known** clinical advantages of rapid absorption,
wide distribution in body tissues and fluids, prompt
response and excellent toleration, **PROVED** by the
extensive experience of physicians in successfully
treating many common infections due to susceptible
gram-positive and gram-negative bacteria, rickettsiae,
spirochetes, certain large viruses and protozoa, have

established

Terramycin®

as a broad-spectrum antibiotic of choice brand of oxytetracycline

PROVED

PFIZER LABORATORIES, Brooklyn 6, N. Y.
Division, Chas. Pfizer & Co., Inc.



A New, Challenging Book

THE MEANING OF SOCIAL MEDICINE

By IAGO GALDSTON, M.D.

In this readable and thought-provoking book Dr. Galdston explains what social medicine is and what it can accomplish by its orientation toward the achievement of health rather than the cure of disease. He distinguishes between social medicine and governmental health services that are commonly referred to as socialized medicine, recounts the history of the changes in medicine and in society which have created the need for social medicine, analyzes the development of social medicine in England as well as in the United States, and shows how the necessary reforms in medical treatment and medical education can be effected.

For Dr. Galdston, the major factors in the problem of medical care are not the economic and the administrative—important though they be—but rather the *nature* of the medical care provided. His book is a challenge—to the public, to the medical profession, and to public health officials—a challenge to a fundamental change in attitude, practices and teaching. It lays on society and on medicine the responsibility, not merely to cure the individual's disease, but to help him attain health, to guide him in the effective achievement of the adventure of living.

\$2.75




A COMMONWEALTH FUND BOOK

At Your Bookstore, or

HARVARD UNIVERSITY PRESS

Cambridge 38

Massachusetts



SATISFACTION GUARANTEED

***Specialists in Plastic and Glass
Artificial Human Eyes Exclusively***

Referred Cases Carefully Attended

FRIED & KOHLER, Inc.

665 FIFTH AVENUE near 53rd Street
NEW YORK, N. Y. Tel. Eldorado 5-1970

**POSTGRADUATE
RADIO PROGRAMME OF
THE NEW YORK ACADEMY
OF MEDICINE**


Including
“CANCER ALERTS”

THURSDAYS

9 P.M.-10 P.M.

WNYC-FM—93.9 megs

SEYMOUR N. SIEGEL, *Director*



in
arthritis
and allied
disorders

Rapid Relief of Pain
usually within a few days

**Greater Freedom
and Ease of Movement**
functional improvement in a significant
percentage of cases

No Development of Tolerance
even when administered over
a prolonged period

BUTAZOLIDIN



(brand of phenylbutazone)

Its usefulness and efficacy substantiated by numerous published reports, BUTAZOLIDIN has received the Seal of Acceptance of the Council on Pharmacy and Chemistry of the American Medical Association for use in:

- Gouty Arthritis
- Psoriatic Arthritis
- Painful Shoulder (including peritendinitis, capsulitis, bursitis and acute arthritis)
- Rheumatoid Arthritis
- Rheumatoid Spondylitis

Since BUTAZOLIDIN is a potent agent, patients for therapy should be selected with care; dosage should be judiciously controlled; and the patient should be regularly observed so that treatment may be discontinued at the first sign of toxic reaction.

Descriptive literature available on request.

BUTAZOLIDIN® (brand of phenylbutazone), coated tablets of 100 mg.



GEIGY PHARMACEUTICALS

Division of Geigy Chemical Corporation
220 Church Street, New York 13, N. Y.
In Canada: Geigy Pharmaceuticals, Montreal

In hypertension . . .

A safer tranquillizer-antihypertensive

Serpasil ^{T.M.}
(reserpine Ciba)

A pure crystalline alkaloid of Rauwolfia serpentina

No other rauwolfia product offers such

Unvarying potency / Accuracy in dosage / Uniform results

CIBA

Tablets 0.25 mg. and 0.1 mg.

2/2010M

when proper or corrective shoes are indicated . . .

prescribe PEDIFORMES

IN STOCK:

- straight last shoes
- inflare last shoes
- outflare last shoes
- club foot shoes
- flat foot shoes
- childrens' shoes with Thomas Heel and long counter

You are assured alterations and fittings as you prescribe because of our interest, and experience gained in serving the medical profession for more than 35 years.



34 West 36th STREET
New York City
Wisconsin 7-2534

Other Shops in: Brooklyn • Flatbush • Hempstead
New Rochelle • East Orange • Hackensack

BULLETIN

THE NEW YORK
ACADEMY OF MEDICINE



The Bulletin contains scientific papers presented at the Academy, including . . .

- Graduate Fortnight Lectures
- Stated Meeting Addresses of the Academy
- Academy Section Papers
- Section on Microbiology—Abstracts
- Forum for Clinical Research—Abstracts
- Monthly Panel Meetings—Transcripts
- New York Pathological Society—Abstracts
- and
- Other Original Contributions

Published Monthly

Annual subscription price, \$6.50 in
United States and Canada.

All other countries \$7.50

FOR *epileptic* CONTROL-

grand mal and petit mal

New

Mebaroin TRADEMARK

Highly Effective • Well Tolerated • Relatively Tasteless


In a comparative study of 108 patients^{1,2} with idiopathic epilepsy, by far the best results (85.6 per cent controlled or improved) were obtained with a combination of Mebaral and diphenylhydantoin. This combination achieved the closest approach to the ideal of maximum control of seizures with minimal toxicity. Each tablet of Mebaroin contains 90 mg. Mebaral® and 60 mg. diphenylhydantoin.

Dosage: Average adult dose: 1 or 2 tablets three times daily. For children over 6 years, 2 or 3 tablets daily; younger children ½ tablet once or twice daily. Treatment is best begun with a small dose which is increased gradually until the individual optimum is established. The usual caution should be observed when changing from another antiepileptic drug to Mebaroin.

Supplied: Bottles of 100 and 1000 scored tablets.

1. Meller, R. L., and Resch, J. A.: *Bull. Univ. Minnesota Hosp.*, 20:78, Oct. 8, 1948.
2. Meller, R. L., and Resch, J. A.: *Postgrad. Med.*, 6:452, Dec., 1949.

Winthrop-Stearns INC
NEW YORK 18, N. Y. WINDSOR, ONT.



Mebaral, trademark reg. U.S. & Canada, brand of mephobarbital

NOT ARTHRITIS BUT ARTHRALGIA...

If the patient complaining of aching joints is a woman between 37 and 54 years of age, it is highly possible that she is suffering from arthralgia rather than arthritis.¹ It has been estimated that arthralgia occurs in about 40 per cent of women with estrogen deficiency, and is exceeded in frequency only by symptoms of emotional or vasomotor origin.² In fact, arthralgia may be as indicative of declining ovarian function as the classic menopausal hot flushes.

Arthralgia, however, is just one of a vast number of distressing but ill-defined symptoms that may be precipitated by the loss of estrogen as a "metabolic regulator." Other good examples are insomnia, headache, easy fatigability, and tachypnea.

Because these symptoms sometimes occur years before or even long after cessation of menstruation, they are not always readily associated with estrogen deficiency, and the tendency may be to treat them with medications other than estrogen. Obviously, sedatives and other palliatives cannot be expected to produce a satisfactory response if an estrogen deficiency exists. Only estrogen replacement therapy will correct the basic cause of the disorder.

"Premarin" is an excellent preparation for the replacement of body estrogen. In "Premarin" all components of the complete equine estrogen-complex are meticulously preserved in their natural form. "Premarin" produces not only prompt symptomatic relief but a distinctive "sense of well-being" which is most gratifying to the patient.

1. Greenblatt, R. B., and Kupperman, H. S.: *M. Clin. North America* 30:576 (May) 1946. 2. McGavack, T. H., in Goldzieher, M. A., and Goldzieher, J. W.: *Endocrine Treatment in General Practice*, New York, Springer Publishing Company, Inc., 1953, p. 225.

"PREMARIN"



Estrogenic substances (water-soluble) also known as conjugated estrogens (equine)

Available in tablet and liquid form

has no odor . . . imparts no odor

NEW YORK, N. Y.



MONTREAL, CANADA

*For diabetics . . . for laboratories
for office use*

DENCO® SUGAR TEST
(Golatest)
DENCO ACETONE TEST

DENCO Reagents
are preferred for:



Simplicity—A little powder . . . a little urine. No test tubes, no measuring, no boiling. Same technique for both tests.

Accuracy—Distinct color reactions immediately. No false positives.

Economy—There is enough powder in each vial for about 100 tests. Each test costs but a fraction of a cent.


Descriptive literature on request. Dept B-45

THE DENVER CHEMICAL MFG. CO., INC.
New York, N. Y. • Montreal, P. Q.



**New Plastic
DENCO Urinalysis
Kit for diabetics!** Both easy-to-use reagents in pocket-sized kit complete with instructions, color chart and dropper.

PLASTIC AND GLASS EYES



**MAGER &
GUGELMAN, Inc.**

OVER A CENTURY OF SERVICE • 1851-1952

- PRIVATE FITTINGS
- PERSONAL ATTENTION
- EXPERIENCE & SKILL

510 MADISON AVE., N. Y. 22
Telephone PLaza 5-3756

For twenty years . . .
we have constantly endeavored to serve
the medical profession with . . .

*better products for
better birth control*

Cooper Creme

*no finer name
in contraceptives*



active ingredients:
Trioxymethylene .04%
Sodium Oleate 0.67%

Whittaker Laboratories, Inc.
Peekskill, New York

FREE

Please send: Full Size \$1.50 Combination Package
Free—Cooper Creme/Dosimeter.

Name _____ M.D.

Address _____

City _____ Zone _____ State _____

2

Herald Square, N. Y.

Parkchester, Bronx

Jamaica, Queens

White Plains, N. Y.

Flatbush, Brooklyn



MACY'S PRESCRIPTION DEPARTMENT

Macy's is up-to-the-minute. We make every effort to have all new or scarce drugs on hand for your prescription. We follow the development of each new product, obtain it as soon as it is available. And when you prescribe, you can be assured that your prescription is accurately compounded exactly as you write it, carefully checked by our supervising pharmacists.


No wonder so many physicians prefer Macy's Prescription Department.

PHYSICIANS' HOME

Requests for help for our colleagues in need throughout the State are increasing steadily. Will you make it possible for us to respond to these appeals by sending a contribution to

THE PHYSICIANS' HOME

63 East 84th St., New York 28, N. Y.



PHOTOGRAPH BY CHARLES KERLEE

Bounces back to normal with **PENTRESAMIDE®**

TRIPLE SULFONAMIDE WITH PENICILLIN

Serious infections of mixed bacterial origin respond so rapidly to PENTRESAMIDE that your patients seem almost to bounce back to normal. Even in pneumonia, a single oral dose of this established antibiotic-sulfonamide produces "striking therapeutic results."¹ Easy-to-take, it is especially suitable for children.

Quick Information: PENTRESAMIDE-100 and PENTRESAMIDE-250 Tablets provide in each tablet 0.1 Gm. sulfamerazine, 0.2 Gm. each sulfamethazine and sulfadiazine with 100,000 or 250,000 units potassium penicillin G. Dosage schedules on request.

Reference: 1. New York State J. Med. 50:2293, 1950.

Quality you can Trust



**Coca-Cola makes any pause
the pause that refreshes**



A safer tranquilizer-antihypertensive

No other rauwolfia product offers such

Unvarying potency / Accuracy in dosage / Uniform results

Serpasil ^{T.M.}
(reserpine Ciba)

A pure crystalline alkaloid of Rauwolfia serpentina

C I B A

Tablets 0.25-mg. and 0.1 mg.

2/2009M

CHARLES B. TOWNS HOSPITAL *Established 1901*

FOR THE TREATMENT OF ALCOHOLISM

NARCOTIC AND BARBITURATE

ADDICTIONS EXCLUSIVELY

Complete Medical & Psychiatric Treatment at predetermined cost. Privacy of patient is assured—if desired.

Literature on Request

Edward B. Towns, Director

293 Central Park West, N. Y. 24, N. Y.
SCHuylar 4-0770

Member American Hospital Association

SEDATION
AND EUPHORIA FOR NERVOUS,
IRRITABLE PATIENTS

Use
VALERIANETS-DISPERT

Reg. U. S. Pat. Off.

Each Chocolate Coated Tablet Contains Ext. Valerian (highly concentrated) 0.05 Gm. disintegrating finely subdivided for maximum efficiency

TASTELESS, ODORLESS, NON-DEPRESSANT SEDATIVE and EUPHORIC

VALERIANETS-DISPERT are indicated in cases of nervous excitement and exhaustion, anxiety and depressive states, cardiac and gastrointestinal neuroses, menopausal and menstrual molimina, insomnia.

Dose: 1 or 2 tablets t.i.d. — Bottle of 50 and of 100 tablets
At All Prescription Pharmacies



STANDARD PHARMACEUTICAL CO., INC., 253 West 26th St., New York

For Intestinal Dysfunction
NUCARPON®

Each tablet cont: Extract of Rhubarb, Senna, Precip. Sulfur, Peppermint Oil, Fennel Oil in activated charcoal base.

For making Burrow's Solution
U.S.P. XIV
WET DRESSING Use
PRESTO-BORO®
(Aluminum Sulfate and Calcium Acetate)
POWDER IN ENVELOPES
— TABLETS —
For treatment of Swellings, Inflammations, Sprains

For Pulmonary Conditions
TRANSPULMIN®
3% solution Quinine with 2 1/2% Camphor for intramuscular injection.



carsickness

from

for young

and old

*with new
ing action*

Bonamine*


Brand of meclizine

Prevention of carsickness and all types of motion sickness is simplified and improved with this effective new agent. A single daily dose of one to two 25 mg. tablets for adults (less for children) taken one hour before the start of a trip ordinarily provides 24-hour protection against the nausea and vomiting associated with motion sickness. Side effects, commonly noted with use of other remedies, are minimized with Bonamine. In bottles of 100 mg. scored, tasteless tablets.

*TRADEMARK

Pfizer

Pfizer Laboratories Brooklyn 6, N. Y.
© 1964, Chas. Pfizer & Co., Inc.



BROADER

coverage in mixed infections

BICILLIN-SULFAS promotes potent antibacterial action against a wide range of gram-negative and gram-positive organisms. Provides prolonged penicillin and high sulfonamide blood levels for additive therapeutic effect.¹

BICILLIN-SULFAS combines BICILLIN, the outstanding, long-acting penicillin, and SULFOSE[®], the triple-sulfonamide mixture affording maximal therapeutic activity with low renal risk.²

For broader antibacterial coverage . . . minimal risk of toxicity

BICILLIN[®]-SULFAS

Benzathine Penicillin G (Dibenzylethylenediamine Dipenicillin G) and Triple Sulfonamides

Supplied: Suspension: Bottles of 3 fluidounces

Tablets: Bottles of 36

Each teaspoonful (5 cc.) of Suspension and each Tablet contains 150,000 units BICILLIN and 0.167 Gm. each of sulfadiazine, sulfamerazine and sulfamethazine.


1. Kolmer, J. A., and Rule, A. M.: Am. J. Med. Sc. 215:136-148 (Feb.) 1948
2. Lehr, D.: Antibiot. & Chem. 3:89 (Jan.) 1953



®

Philadelphia 2, Pa.

normalize fat metabolism... protect the liver...



**In your diabetic, cirrhotic,
overweight and geriatric patients**

liver damage may be aggravated
by dietary restrictions and other factors
which reduce intake of lipotropics essential
for liver protection.

LIPOCAPS and LIPOLIQUID

provide the massive doses of choline
and other important lipotropics needed
to improve hepatic function, facilitate
mobilization and transport of fat and curb
fatty infiltration of the liver.

LIPOLIQUID

Each tablespoonful (15 cc.) contains:

Choline* (equivalent to 9.15 Gm. of choline dihydrogen citrate)	3.75 Gm.
Vitamin B ₁₂ U.S.P.	4.20 mcg.
Inositol	75.00 mg.

*As tricholine citrate.

Pint bottles.

Dosage: 1 to 2 tablespoonfuls daily for adults.

LIPOLIQUID is sugar- and alcohol-free.

LIPOCAPS[®]

Each orange capsule contains:

Choline bitartrate	450 mg.
dl-Methionine	150 mg.
Inositol	100 mg.

Bottles of 100.

Dosage: One capsule three times daily.

*L*akeside
laboratories, INC., MILWAUKEE 1, WISCONSIN

Out in front...
*in treatment
of
hypertension*



Raudixin

SQUIBB RAUWOLFIA

More physicians write prescriptions for Raudixin than for all other forms of rauwolfia combined. The reasons for this choice are sound:

- Raudixin contains the standardized *whole root* of Rauwolfia serpentina. There is no definite evidence that any alkaloid or fraction has all the beneficial actions of the whole crude root.
- Raudixin lowers blood pressure moderately, gradually, stably. It also slows the pulse and has a mild sedative effect.
- Raudixin is the *safe* hypotensive agent. It causes no dangerous reactions and almost no unpleasant ones.
- Raudixin is often effective alone in mild to moderate hypertension of the labile type. In more severe cases it is effectively combined with other hypotensive agents.

50 and 100 mg. tablets, bottles of 100

SQUIBB

RAUDIXIN[®] IS A TRADEMARK



HOEBER-HARPER BOOKS

3 Major Reference Works

★ HOLLINSHEAD'S

ANATOMY for SURGEONS; Vol. I—Head & Neck

Brand New! Out of his experience as consultant in anatomy at the Mayo Clinic, Dr. Hollinshead has prepared this ideal guide to anatomy for surgeons. The first volume, just out, presents the surgically significant details of head and neck anatomy assembled by the author with

expert help of 9 Mayo Clinic surgeons. Hundreds of sharp diagrammatic drawings clarify the text. Designed for consecutive study as well as quick reference before an operation.

By W. HENRY HOLLINSHEAD, Ph.D., *Head of the Section of Anatomy, Mayo Clinic*, 573 pp. 326 illus., \$12.00.

★ PASCHKIS, RAKOFF & CANTAROW'S **CLINICAL ENDOCRINOLOGY**

Just Published! Here is the first complete and integrated account of the endocrine system, its disorders and its relation to the rest of the body. Based on understanding endocrinopathies as problems in pathologic physiology, it gives you a rational guide to diagnosis and treatment in your

own practice. All today's treatments are critically evaluated with recommendations based on the authors' extensive clinical experience.

By KARL E. PASCHKIS, M.D., *Assoc. Prof. of Medicine*, ABRAHAM E. RAKOFF, M.D., *Clin. Prof. of Gynecologic Endocrinology* & ABRAHAM CANTAROW, M.D., *Prof. of Biochemistry, all of Jefferson Medical College*, 611 pp., 253 illus., 5 in full color, \$16.00.

★ COLEY & HIGINBOTHAM'S **TUMORS of BONE: An X-ray Atlas**

Practical Help! From the rich resources of the Bone Section of Memorial Hospital the authors have built an invaluable atlas and text on x-ray diagnosis of bone tumors. This superb collection of large-scale roentgenograms with descriptions of representative cases, will help clarify the differential diagnosis of benign and

malignant neoplasms. Virtually all cases have been confirmed by microscopic examination. Microphotographs and illustrations of the gross specimen accompany many of the presentations.

By BRADLEY L. COLEY, M.D., *Attending Surgeon* and NORMAN L. HIGINBOTHAM, M.D., *Assoc. Attending Surgeon, Bone Service, Memorial Center for Cancer & Allied Diseases*, 221 pp. 209 illus., \$10.00.

All Hoeber-Harper Books Sent on Approval

PAUL B. HOEBER, INC.

MEDICAL BOOK DEPARTMENT OF HARPER & BROTHERS

49 East 33rd Street, New York 16, N. Y.